



GUARDIAN OF LIFE



Timecore Intelligent Equipment Co., Ltd.

## K1270



Machine Model:	K1270
Maximum Power:	5.8KW
Maximum RPM:	10500r/min
Blade Diameter:	400mm
Cutting Depth:	155mm
Engine Displacement:	115CC
Net Weight/Gross Weight:	12.3/17kg
Outer Carton Dimensions:	740x290x550mm

## K1270-1



Machine Model:	K1270-1
Maximum Power:	5.8KW
Maximum RPM:	9300r/min
Blade Diameter:	400mm
Cutting Depth:	155mm
Engine Displacement:	115CC
Net Weight/Gross Weight:	13.8/17kg
Outer Carton Dimensions:	740x290x550mm

## K770



Machine Model:	K770
Maximum Power:	4.2KW
Maximum RPM:	11500r/min
Blade Diameter:	350mm
Cutting Depth:	130mm
Engine Displacement:	85CC
Net Weight/Gross Weight:	10.8/17kg
Outer Carton Dimensions:	740x290x550mm

## K770-1



Machine Model:	K770-1
Maximum Power:	4.8KW
Maximum RPM:	10500r/min
Blade Diameter:	350mm
Cutting Depth:	125mm
Engine Displacement:	105CC
Net Weight/Gross Weight:	11/17kg
Outer Carton Dimensions:	740x290x550mm

### K970 Diamond Chain Saw

### K970



Machine Model:	K970
Maximum Power:	4.8KW
Maximum RPM:	10500r/min
Blade Diameter:	350mm/400mm
Cutting Depth:	125mm/155mm
Engine Displacement:	105CC
Net Weight/Gross Weight:	12/18kg
Outer Carton Dimensions:	740x290x550mm



Maximum Power:	4.8KW	Cutting Depth:	500mm
Maximum RPM:	11000r/min	Engine Displacement:	105CC
Chain Length:	18寸	Net Weight/Gross Weight:	10.8/12.8kg
		Outer Carton Dimensions:	740x290x550mm

### CDE2530XP



Machine Model:	CDE2530XP
Maximum Power:	4.2KW
Maximum RPM:	12800r/min
Blade Diameter:	315mm
Cutting Depth:	116mm
Engine Displacement:	78CC
Net Weight/Gross Weight:	11.8kg/18.5kg
Outer Carton Dimensions:	850x295x550mm

### CDE2530XP-1



Machine Model:	CDE2530XP
Maximum Power:	4.8KW
Maximum RPM:	10800r/min
Blade Diameter:	315mm
Cutting Depth:	116mm
Engine Displacement:	98CC
Net Weight/Gross Weight:	12.5kg/18.5kg
Outer Carton Dimensions:	850x295x550mm



CUSTOMER SUCCESS IS OUR SUCCESS

### 372 Chain Saw



Maximum Power: 4.2KW  
Maximum RPM: 12800r/min  
Chain Length: 22寸/24寸

Cutting Depth: 500mm/600mm  
Engine Displacement: 72CC  
Net Weight/Gross Weight: 6.5/8.5kg  
Outer Carton Dimensions: 475x250x320mm

### 585 Chain Saw



Maximum Power: 5.4KW  
Maximum RPM: 11500r/min  
Chain Length: 22寸/24寸

Cutting Depth: 500mm/600mm  
Engine Displacement: 110CC  
Net Weight/Gross Weight: 7.51kg  
Outer Carton Dimensions: 525x275x305mm

### 450 Chain Saw



Maximum Power: 2.5KW  
Maximum RPM: 13000r/min  
Chain Length: 18寸/20寸

Cutting Depth: 400mm/500mm  
Engine Displacement: 58CC  
Net Weight/Gross Weight: 5/7.5kg  
Outer Carton Dimensions: 525x275x305mm

### 450E Chain Saw



Maximum Power: 3.2KW  
Maximum RPM: 13500r/min  
Chain Length: 18寸/20寸

Cutting Depth: 400mm/500mm  
Engine Displacement: 60CC  
Net Weight/Gross Weight: 5.2/7kg  
Outer Carton Dimensions: 560x290x380mm



CUSTOMER SUCCESS IS OUR SUCCESS

## 670 Chain Saw



Maximum Power:	5.4KW	Cutting Depth:	550mm/600mm
Maximum RPM:	11600r/min	Engine Displacement:	110CC
Chain Length:	22in/24in	Net Weight/Gross Weight:	6.95kg
		Outer Carton Dimensions:	525x275x305mm

## XMBL-323 Chain Saw



Maximum Power:	3.6KW	Cutting Depth:	400mm-500mm
Maximum RPM:	4800r/min	Battery Capacity:	5000mAh
Chain Length:	16-20in	Battery Voltage:	60V
		Net Weight:	3.38kg

## XMBL-322 Chain Saw



Maximum Power:	2.0KW	Cutting Depth:	400mm
Maximum RPM:	4800r/min	Battery Capacity:	4000mAh
Chain Length:	16in	Battery Voltage:	36V
		Net Weight:	2.24kg/2.98kg

## XMB-1 Chain Saw




Maximum Power:	2.0KW	Cutting Depth:	400mm/450mm
Maximum RPM:	4800r/min	Battery Capacity:	4000mAh
Motor Speed:	9800r/min	Battery Voltage:	36V
Chain Length:	16/18in	Net Weight/Gross Weight:	3.35/7.6kg
		Outer Carton Dimensions:	560x290x380mm




CUSTOMER SUCCESS IS OUR SUCCESS

### Lithium-ion Cordless Saw



Machine Model:	XMBLD-350/300
Maximum Power:	4.8KW
Maximum RPM:	10500r/min
Blade Diameter:	350mm/300mm
Cutting Depth:	142mm/117mm
Battery Voltage:	36V/58V/84V
Battery Capacity:	4000mAh/9000mAh
Net Weight:	11kg/10.5kg
Outer Carton Dimensions:	740x290x550mm



Machine Model:	XMBLD-235
Maximum Power:	3.6KW
Maximum RPM:	10500r/min
Blade Diameter:	255mm
Cutting Depth:	90mm
Battery Voltage:	21V/36V
Battery Capacity:	4000mAh
Net Weight:	8.5kg
Outer Carton Dimensions:	740x290x550mm

### Lithium Battery Dual-Wheel Opposite-Direction Cutting Saw



Machine Model:	CDE2530LD-315/235
Maximum Power:	4.8KW
Maximum RPM:	10500r/min
Blade Diameter:	315mm/235mm
Cutting Depth:	116mm/80mm
Battery Voltage:	58V/84V
Battery Capacity:	4000mAh/9000mAh
Net Weight:	12kg/10.5kg
Outer Carton Dimensions:	740x290x550mm

### XMB-1 Oil Pickaxe



Machine Name:	Rock Drill
Maximum Power:	2.0KW
Maximum Speed:	9000r/min
Engine Idle Speed:	2100r/min
Impact Frequency:	1500次/分
Impact Energy:	20-55J
Engine Displacement:	58CC
Net Weight/Gross Weight:	16.3/34kg
Outer Carton Dimensions:	675x295x380mm

### XMB-2 Oil Pickaxe



Machine Name:	Rock Drill
Maximum Power:	1.7KW
Maximum RPM:	8000r/min
Rated Voltage:	220V
Impact Frequency:	1900次/分
Impact Energy:	65J
Drilling Capacity:	D28mm
Net Weight/Gross Weight:	16.6/20kg
Outer Carton Dimensions:	880x180x355mm



CUSTOMER SUCCESS IS OUR SUCCESS

## XMB-2355



Machine Model:	XMB-2355
Maximum Power:	3.2KW
Maximum RPM:	4800r/min
Blade Diameter:	350mm
Cutting Depth:	125mm
Net Weight/Gross Weight:	12.4kg
Outer Carton Dimensions:	655x320x470mm

## CDC2350



### Dual-Wheel Opposite Direction Cutting Saw

Machine Model:	CDC2350
Maximum Power:	2.2KW
Maximum RPM:	3800r/min
Blade Diameter:	235mm
Cutting Depth:	75mm
Net Weight/Gross Weight:	7.69kg
Outer Carton Dimensions:	525x275x305mm

## Ring Saw



Machine Model:	405
Maximum Power:	3.5KW
Maximum RPM:	4800r/min
Blade Diameter:	410mm
Cutting Depth:	290mm
Net Weight/Gross Weight:	14.56kg
Outer Carton Dimensions:	873x510x300mm

## K970 Ring Saw



### K970 No-Adjustment Ring Saw

Maximum Power:	4.8KW
Maximum RPM:	11500r/min
Blade Diameter:	420mm
Cutting Depth:	290mm
Engine Displacement:	98CC
Net Weight/Gross Weight:	14.5kg/17kg
Outer Carton Dimensions:	770x290x550mm



CUSTOMER SUCCESS IS OUR SUCCESS

155



Machine Model:	155
Machine Name:	Dual-Wheel Opposite-Direction Cutting Saw
Maximum Power:	1050W
Maximum Speed:	3800r/min
Blade Diameter:	155mm
Cutting Depth:	42mm
Net Weight:	2.85kg
Outer Carton Dimensions:	525x275x305mm

### Manual Fire Hose Reel Cart



Machine Model:	XMB-200/201
Maximum Hose Width:	13cm/21cm
Maximum Hose Length:	25m
Weight (Net):	9.5kg/10kg
Product Dimensions:	410x210x780mm 410x310x780mm

### Constant-Speed Multi-Purpose Chamfering Machine



Machine Model:	XMB-7
Rated Power:	850W
Rated Speed:	16000r/min
Maximum Chamfering:	3mmx3mm
Startup Type:	Push-button
Product Dimensions:	320x110x80mm
Net Weight:	1.95kg

### Constant-Speed Multi-Purpose Chamfering Machine



Machine Model:	XMB-8
Rated Power:	850W
Rated Speed:	16000r/min
Maximum Chamfering:	3mmx3mm
Startup Type:	Push-button
Product Dimensions:	320x110x80mm
Net Weight:	1.95kg

### Steel Bar Quick-Release Device



Machine Model:	XMBL-312
Power Supply Voltage:	21V
Battery Capacity:	5000mAh
Cutting Speed:	5s
Cutting Range:	4-22mm(Reinforcing steel)
Cutting Range:	23x20mm Q235 steel plate
Maximum Shear Force:	302KN
Opening Distance:	23mm
Net Weight:	7.1kg



CUSTOMER SUCCESS IS OUR SUCCESS

### XMB-008



### XMB-009



Machine Model:	XMB-008
Machine Name:	Brush cutter
Maximum Power:	1.5KW
Maximum RPM:	10500r/min
Fuel Tank Capacity:	1.2L
Net Weight:	6.45kg
Carburetor Type:	Diaphragm-type

Machine Model:	XMB-009
Machine Name:	Brush cutter
Maximum Power:	1.8KW
Maximum RPM:	10500r/min
Fuel Tank Capacity:	1.2L
Net Weight:	7.35kg
Startup Mode:	Manual/Automatic

### Lithium-ion Angle Grinder



Machine Model:	XMBL-311
Machine Name:	Lithium-ion Angle Grinder
Battery Voltage:	21V/36V
Battery Voltage:	4000mAh
Rated Speed:	9000r/min
Blade Diameter:	100mm/125mm
Net Weight:	1.68kg

### Angle grinder



Machine Model:	XMB-100
Machine Name:	Electric Angle Grinder
No-Load Speed:	9000r/min
Power Supply Voltage:	220V
Blade Diameter:	100mm/125mm
Net Weight:	1.95kg

### Lithium-ion Angle Grinder



Machine Model:	XMBL-320
Machine Name:	Lithium-ion Angle Grinder
Battery Voltage:	21V/36V
Battery Voltage:	4000mAh
Rated Speed:	9000r/min
Blade Diameter:	100mm/125mm
Net Weight:	1.68kg



CUSTOMER SUCCESS IS OUR SUCCESS

## Lithium-ion hammer drill



Machine Model:	XMBL-313
Power Supply Voltage:	21V
Battery Capacity:	4000Ah
Impact Frequency:	4000r/min
Impact Energy:	3.2J
Cutting Depth:	13mm Steel
Cutting Depth:	32mm Wood
Cutting Depth:	26mm Concrete
Net Weight:	1.93kg

## Saber saw



Machine Model:	XMBL-319
Power Supply Voltage:	21V
Battery Capacity:	4000mAh
Impact Frequency:	3500r/min
Stroke Length:	28mm
Cutting Depth:	20mm Metal
Cutting Depth:	250mm Wood
Cutting Depth:	130mm Pipe
Net Weight:	1.94kg

## Cold-cut saw



Machine Model:	XMBL-321
Power Supply Voltage:	40V
Battery Capacity:	4000mAh
Cutting Speed:	7-8s
Maximum Cutting	40mm
Minimum Cutting	4mm
Net Weight/Gross Weight:	3.6/7.8kg
Machine Dimensions:	46.8x16.8x11.7cm
Packaging Dimensions:	52x26x15cm

## Rotary hammer drill



Machine Model:	XMB-101
Rated Power:	1600W
No-Load Speed:	760r/min
Impact Frequency:	2900BPM
Stroke:	28mm
Maximum Drilling Diameter:	40mm
Net Weight:	4.9kg



CUSTOMER SUCCESS IS OUR SUCCESS

## Electric circular saw



Machine Model:	XMBL-3
Battery Voltage:	21V
Battery Capacity:	4000Ah
No-Load Speed:	9000r/min
Guard:	180° All-around
Cutting Depth:	35mm
Cutting Angle:	45°
Saw Blade Loaded:	5in
Net Weight:	1.92kg

## Hammer drill



Machine Model:	XMBL-5
Power Supply Voltage:	21V
Battery Capacity:	4000Ah
No-Load Speed:	0-1000r/min
Impact Rate:	0-4500bpm
Drilling Diameter:	Φ13mm Steel
Drilling Diameter:	Φ28mm Wood
Drilling Diameter:	Φ24mm Concrete
Net Weight:	1.99kg

## electric drill



Machine Model:	XMBL-6
Power Supply Voltage:	21V
Battery Capacity:	4000Ah
No-Load Speed:	2000r/min
Output Power:	350W
Clamping Capacity:	1.3mm
Torque Setting:	20+1
Maximum Torque:	50N.M
Net Weight:	0.9kg

## Angle grinder



Machine Model:	XMBL-7
Power Supply Voltage:	21V
Battery Capacity:	4000Ah
Rated Speed:	9500r/min
Working Hole Diameter:	Φ16mm
Cutting Diameter:	Φ100mm
Spindle Thread:	M10
Net Weight:	1.48kg



CUSTOMER SUCCESS IS OUR SUCCESS



## Water Tank



## Toolbox



E: [sales@timecore.cn](mailto:sales@timecore.cn)  
T: Founder&CEO  
C: Timecore Intelligent Equipment Co., Ltd.  
T: +86 19139722699



## Accessories

