



Timecore Intelligent Equipment Co., Ltd.





Blower

I G85



Complete pack: 510x390x550mm

Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity
Φ51*37mm	75.6ml	3.3KW(4.4hp) / 7500r/min	2.6L
Idling	Net weight	Air volume	Extinguishing distance
3000r/min	12.15kg	0.47m³/s	1.86m



I G90



Complete pack: 560x430x550mm

Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity
Φ51*37mm	75.6ml	3.3KW(4.4hp) / 7500r/min	2.3L
Idling	Net weight	Air volume	Extinguishing distance
3000r/min	11.95kg	0.548m³/s	2.25m

I G95



Complete pack: 560x430x550mm

Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity
Φ53*36.2mm	79.9ml	4.3KW(5.8hp) / 8500r/min	3L
Idling	Net weight	Air volume	Extinguishing distance
2700r/min	12.1kg	0.58m³/s	2.45m



Brush Cutter

G43



Complete pack: 1840x300x300mm Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm

Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40-5	Φ40*34mm	42.7ml	1.25KW(1.7hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	7.75kg	Φ28x1500x2.0t	Φ8.0*1538*9T*square	1500	Nylon head/Blade

G53



Complete pack: 1840x300x300mm Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm

Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40-5	Φ40*34mm	42.7ml	1.25KW(1.7hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	7.75kg	Φ28x1500x2.0t	Φ8.0*1538*9T*square	1500	Nylon head/Blade

G63



Complete pack: 1840x300x300mm Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm

Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40-9	Φ40*33mm	41.5ml	1.47KW(2.0hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	7.75kg	Φ28x1500x2.0t	Φ8.0*1538*9T*square	1500	Nylon head/Blade

G40



Complete pack: 1840x300x300mm Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm

Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40-5	Φ40*34mm	42.7ml	1.25KW(1.7hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	7.75kg	Φ28x1500x2.0t	Φ8.0*1538*9T*square	1500	Nylon head/Blade

G55



Complete pack: 1840x300x300mm Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm

Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
44-5	Φ44*34mm	52ml	1.65KW(2.2hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Loop	4kg	Φ28x1500x2.0t	Φ8*1540*9T*square	1500	Nylon head

CG260



Complete pack: 1810x250x250mm Split packaging Engine: 230x165x245mm Shaft: 1655x100x90mm

Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
G26	Φ34*28mm	25.4ml	0.85KW(1.1hp) / 7500r/min	0.72L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	5.3kg	Φ24x1500x2.0t	Φ7*1539*7T	1500	Nylon head



Brush Cutter

G45E



Complete pack: 1840x300x300mm			Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm		
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40-9	Φ40*33mm	41.5ml	1.47KW(2.0hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	7.75kg	Φ28x1500x2.0t	Φ8.0*1538*9T*square	1500	Nylon head/Blade

50E



Complete pack: 1840x300x300mm			Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm		
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
50E	Φ45*32mm	50.9ml	2.0KW(2.7hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	7.75kg	Φ28x1500x2.0t	Φ8.0*1538*9T*square	1500	Nylon head/Blade

40E



Complete pack: 1840x300x300mm			Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm		
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40E	Φ40*32mm	40.2ml	1.5KW(2.0hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	7.75kg	Φ28x1500x2.0t	Φ8.0*1538*9T*square	1500	Nylon head/Blade

GZ50N



Complete pack: 1840x300x300mm			Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm		
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
GZ50N	Φ45.5*31.1mm	50.6ml	2.0KW(2.7hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Loop	8.3kg	Φ28x1500x2.0t	Φ8*1540*9T*square	1500	Nylon head

GZ43N



Complete pack: 1840x300x300mm			Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm		
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
GZ43N	Φ43*31.1mm	45.1ml	1.8KW(2.4hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	8.3kg	Φ28x1500x2.0t	Φ8*1540*9T*square	1500	Nylon head

G50



Complete pack: 1840x300x300mm			Split packaging Engine: 355x335x325mm Shaft: 1665x110x120mm		
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40-9	Φ40*33mm	41.5ml	1.47KW(2.0hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	7.75kg	Φ28x1500x2.0t	Φ8.0*1538*9T*square	1500	Nylon head/Blade



Back Pack Brush Cutter

G53B



Split packaging Engine: 335x335x445mm Shaft: 1665x100x90mm					
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40-5	Φ40*34mm	42.7ml	1.25KW(1.7hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Loop	9.2kg	Φ26x1495x2.0t	Φ8*1575*9T*square	1495	Nylon head/Blade

G26B



Split packaging Engine: 335x335x445mm Shaft: 1665x100x90mm					
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
G26	Φ34*28mm	25.4ml	0.85KW(1.1hp) / 7500r/min	0.6L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Loop	7.8kg	Φ24x1500x2.0t	Φ7*1575*7T*square	1500	Nylon head

G143B



Split packaging Engine: 335x335x445mm Shaft: 1665x100x90mm					
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40-9	Φ40*33mm	31ml	1.47KW(2.0hp) / 7500r/min	1L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Loop	9.4kg	Φ26x1495x2.0t	Φ8*1575*9T*square	1495	Nylon head/Blade

G63B



Split packaging Engine: 335x335x445mm Shaft: 1665x100x90mm					
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40-9	Φ40*33mm	41.5ml	1.47KW(2.0hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Loop	9.4kg	Φ26x1495x2.0t	Φ8*1575*9T*square	1495	Nylon head/Blade



Brush Cutter

I 226K



Complete pack: 1810x250x250mm			Split packaging Engine: 300x300x280mm Shaft: 1655x100x90mm		
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
G26C	Φ34*28mm	25.4ml	0.85KW(1.1hp) / 7500r/min	0.6L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Loop	5.3kg	Φ24x1500x2.0t	Φ7*1539*7T	1500	Nylon head

I 541RS



Complete pack: 1840x300x300mm			Split packaging Engine: 330x330x350mm Shaft: 1665x110x120mm		
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
541	Φ40*33mm	41.5ml	1.47KW(2.0hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	7.75kg	Φ28x1500x2.0t	Φ8.0*1538*9T*square	1500	Nylon head/Blade

I 226R



Complete pack: 1810x250x250mm			Split packaging Engine: 300x300x280mm Shaft: 1655x100x90mm		
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
G26C	Φ34*28mm	25.4ml	0.85KW(1.1hp) / 7500r/min	0.6L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Loop	5.3kg	Φ24x1500x2.0t	Φ7*1539*7T	1500	Nylon head

I 143R-II



Complete pack: 1840x300x300mm			Split packaging Engine: 330x330x350mm Shaft: 1665x110x120mm		
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
40-9	Φ40*33mm	41.5ml	1.47KW(2.0hp) / 7500r/min	1.2L	Diaphragm
Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cutting attachments
Dual	7.75kg	Φ28x1500x2.0t	Φ8.0*1538*9T*square	1500	Nylon head/Blade



Hedge Trimmer

G23S



Complete pack: 1155x265x265mm			
Motive power	Cylinder diameter*stroke	Displacement	Power
G23	Φ32*28mm	22.5ml	0.65KW(0.9hp) / 7500r/min
Fuel tank capacity	Carburetor	Net weight	Working length
0.6L	Diaphragm	5.75kg	650

G23D



Complete pack: 1155x265x265mm			
Motive power	Cylinder diameter*stroke	Displacement	Power
G23	Φ32*28mm	22.5ml	0.65KW(0.9hp) / 7500r/min
Fuel tank capacity	Carburetor	Net weight	Working length
0.6L	Diaphragm	5.85kg	750





Hedge Trimmer

| 6501



| 7501



Complete pack: 1155x265x265mm

Motive power	Cylinder diameter*stroke	Displacement	Power
32-F	Φ32*28mm	22.5ml	0.65KW(0.9hp) / 7500r/min
Fuel tank capacity	Carburetor	Net weight	Working length
0.6L	Diaphragm	5.75/5.85kg	650/750



| 6502



| 7502



Complete pack: 1155x265x265mm

Motive power	Cylinder diameter*stroke	Displacement	Power
32-E	Φ32*28mm	22.5ml	0.65KW(0.9hp) / 7500r/min
Fuel tank capacity	Carburetor	Net weight	Working length
0.6L	Diaphragm	5.75/5.85kg	650/750

| 6504



| 7504



Complete pack: 1155x265x265mm

Motive power	Cylinder diameter*stroke	Displacement	Power
32-H	Φ32*28mm	22.5ml	0.65KW(0.9hp) / 7500r/min
Fuel tank capacity	Carburetor	Net weight	Working length
0.6L	Diaphragm	5.75/5.85kg	650/750

| 6503



| 7503



Complete pack: 1155x265x265mm

Motive power	Cylinder diameter*stroke	Displacement	Power
32-C	Φ32*28mm	22.5ml	0.65KW(0.9hp) / 7500r/min
Fuel tank capacity	Carburetor	Net weight	Working length
0.6L	Diaphragm	5.75/5.85kg	650/750

| 6505



| 7505



Complete pack: 1155x265x265mm

Motive power	Cylinder diameter*stroke	Displacement	Power
32-I	Φ32*28mm	22.5ml	0.65KW(0.9hp) / 7500r/min
Fuel tank capacity	Carburetor	Net weight	Working length
0.6L	Diaphragm	5.75/5.85kg	650/750




Multi-Function Tools

I GZ2601H

Can be replaced
Four kinds of joint



K01




K02



K03



K01H



Split packaging Engine: 230x165x245mm Aluminium tube(800/1000mm): 1155x265x265mm (1200mm): 1385x265x265mm

Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
G26	Φ34*28mm	25.4ml	0.85KW(1.1hp) / 7500r/min	0.72L	Diaphragm
Handle	Net weight	Transmission shaft		Working length	
Loop	6.2kg	Φ7*833*7T / Φ7*1033*7T / Φ7*1233*7T		800 / 1000 / 1200	





Multi-Function Tools

GZ2605



1 K01	2 K02	3 K03	5 K05	6 K06	7 K01H	8 K08
Cutting width						
600mm	550mm	550mm	300mm	300mm	700mm	254mm
Net weight						
2.25kg	1.65kg	2.05kg	1.22kg	1.25kg	2.5kg	0.65kg

Split packaging Engine: 230x165x245mm Shaft(800/1000mm): 1155x265x265mm Shaft(1200mm): 1385x265x265mm					
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor
G26	Φ34*28mm	25.4ml	0.85KW(1.1hp) / 7500r/min	0.72L	Diaphragm
Handle	Net weight	Transmission shaft		Working length	
Loop	6.2kg	Φ7*833*7T / Φ7*1033*7T / Φ7*1233*7T		800 / 1000 / 1200	



Multi-function Battery Tools

KZ2605



1 K01	2 K02	3 K03	5 K05	6 K06	7 K01H	8 K08
Cutting width						
600mm	550mm	550mm	300mm	300mm	700mm	254mm
Net weight						
2.25kg	1.65kg	2.05kg	1.22kg	1.25kg	2.5kg	0.65kg

Complete pack: 1105x205x205mm		
Rated voltage	Rated power	Maximum power
36D.C.V	1200W	1680W
Reciprocating speed	Aluminum tube	Net weight
I 4800min II 5000min III 6000min	Φ26x1500x2.0t	6.4kg



Earth Drill

K450A



Complete pack: 520x320x370mm

Motive power	Cylinder diameter*stroke	Displacement	Power
40-8	Φ40*33mm	41.5ml	1.47KW(2.0hp) / 7500r/min
Fuel tank capacity	Carburetor	Net weight	
0.9L	Diaphragm	8.9kg	

K550



Complete pack: 520x320x370mm

Motive power	Cylinder diameter*stroke	Displacement	Power
50E	Φ45*32mm	50.9ml	2.0KW(2.7hp) / 7500r/min
Fuel tank capacity	Carburetor	Net weight	
1.2L	Diaphragm	8.3kg	



K650D



Complete pack: 520x320x370mm

Motive power	Cylinder diameter*stroke	Displacement	Power
GZ50	Φ45.5*31.1mm	50.6ml	2.0KW(2.7hp) / 7500r/min
Fuel tank capacity	Carburetor	Net weight	
1.2L	Diaphragm	8.6kg	




Telescopic Pole Pruner

GZ260



GZ4200



It can go down 90 degrees
Arbitrary Angle adjustment



Complete pack: 1810x250x250mm							Split packaging Engine: 230x165x245mm Shaft(1000mm): 1155x265x265mm						
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor	Guide plate length							
G26	Φ34*28mm	25.4ml	0.85KW(1.1hp) / 7500r/min	0.72L	Diaphragm	12-44-507Pinches							
Saw chain	Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cuting attachments							
3/8"LP.043"/44DL	Loop	6.05kg	Φ26x1500x2.0t Φ26x750x2.0t	Φ7x1522 / Φ7x773	2500	K05							

							Split packaging Engine: 385x235x195mm Shaft(1000mm): 2470x130x125mm						
Motive power	Cylinder diameter*stroke	Displacement	Power	Fuel tank capacity	Carburetor	Guide plate length							
G26	Φ34*28mm	25.4ml	0.85KW(1.1hp) / 7500r/min	0.72L	Diaphragm	12-44-507Pinches							
Saw chain	Handle	Net weight	Aluminum tube	Transmission shaft	Working length	Cuting attachments							
3/8"LP.043"/44DL	Loop	7.2kg	Φ35x1.5t / Φ26x1.5t	Φ7.0x2180 / Φ9x1545	2900-4000	K05							



Hedge Trimmer

K3665



Complete pack: 1112x200x200mm		
Rated voltage	Rated power	Maximum power
36/48D.C.V	300W	1200W
Reciprocating speed	Cutting width	Net weight
I 2000min II 2260min	650mm	3.5kg

K2465



Complete pack: 1112x200x200mm		
Rated voltage	Rated power	Maximum power
24/36D.C.V	200W	800W
Reciprocating speed	Cutting width	Net weight
I 1900min II 2200min	650mm	3.4kg

KC2465



Complete pack: 1162x200x200mm		
Rated voltage	Rated power	Maximum power
24/36D.C.V	200W	800W
Reciprocating speed	Cutting width	Net weight
I 1900min II 2200min	650mm	4.8kg

K3670



Complete pack: 1112x200x200mm		
Rated voltage	Rated power	Maximum power
36/48D.C.V	300W	1200W
Reciprocating speed	Cutting width	Net weight
I 2000min II 2260min	700mm	4.1kg

K2470



Complete pack: 1112x200x200mm		
Rated voltage	Rated power	Maximum power
24/36D.C.V	200W	800W
Reciprocating speed	Cutting width	Net weight
I 1900min II 2200min	700mm	3.8kg

K2470



Complete pack: 1112x200x200mm		
Rated voltage	Rated power	Maximum power
24/36D.C.V	200W	800W
Reciprocating speed	Cutting width	Net weight
I 1900min II 2200min	700mm	5.2kg



Lithium-hedge Trimmer

KC4865



Complete pack: 1112x200x200mm

Rated voltage	Rated power	Maximum power
36/48D.C.V	300W	1200W
Reciprocating speed	Cutting width	Net weight
I 2000min II 2260min	650mm	5.8kg

KC4865C



Complete pack: 1112x200x200mm

Rated voltage	Rated power	Maximum power
36/48D.C.V	300W	1200W
Reciprocating speed	Cutting width	Net weight
I 2000min II 2260min	650mm	6kg



T3665



Complete pack: 1112x200x200mm

Rated voltage	Rated power	Maximum power
36/48D.C.V	300W	1200W
Reciprocating speed	Cutting width	Net weight
I 2000min II 2260min	650mm	3.5kg

KC4870



Complete pack: 1112x200x200mm

Rated voltage	Rated power	Maximum power
36/48D.C.V	300W	1200W
Reciprocating speed	Cutting width	Net weight
I 2000min II 2260min	700mm	6.1kg

G668



Complete pack: 1810x250x250mm

Rated voltage	Rated power	Maximum power	
36D.C.V	1200W	1680W	
Reciprocating speed	Aluminum tube	Cutting width	Net weight
I 4800min II 5000min III 6000min	Φ26x1500x2.0t	254mm	6.4kg

E: sales@timecore.cn
 T: Founder&CEO
 C: Timecore Intelligent Equipment Co., Ltd.
 T: +86 19139722699